EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3062	(717/101-103,124-133).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/14 12:01
S3	0	exclude with uncoverable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 12:03
S2	4884	((716/5) or (717/101-103,124-133)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/14 12:03
S4	7	(exclud$3 remov$3 delet$3) with uncoverable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:38
L3	156	symbolic adj model adj check$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:44
L2	1752	reachability	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:44
L1	2	dead-code adj removal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:44
L5	0	("("5179702"|"5465216"|"5579515"|"5724504"|"5758061"|"5909577"|"6192511"|"6356858"|"6373484"|"6408262"|"6484134"|"6779135").PN.").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/13 18:50
L4	79	2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 18:50

EAST Search History

L10	0	8 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 18:53
L9	0	2 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 18:53
L8	1633	reachability	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 18:53
L7	12	("5179702"|"5465216"|"5579515"|"5724504"|"5758061"|"5909577"|"6192511"|"6356858"|"6373484"|"6408262"|"6484134"|"6779135").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 18:53
L11	2	2 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 18:55
L13	48	717/151-161	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 18:56
L12	80	dead-code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 18:56
L15	3266	unreachable	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:22
L14	4	12 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:22
L17	991	future near implementation	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:58

EAST Search History

L16	4	13 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:58
L21	0	skeleton with code with future	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:59
L20	624	skeleton with code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:59
L19	0	skeleton with unused with code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:59
L18	15	future near implementation with unused	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 19:59
L26	12328	"717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:00
L25	0	13 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:00
L23	0	(skeleton placeholder) near3 code with (unused uncalled)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:00
L22	482	(skeleton placeholder) near3 code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:00
L27	107	22 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:01

EAST Search History

L28	6480	(skeleton placeholder dummy) near3 (code method procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:08
L24	0	(skeleton placeholder) near3 code with future	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:08
L31	0	(skeleton placeholder dummy) near3 (code method procedure) with future same modification	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:09
L30	197	26 and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:09
L33	174	(skeleton placeholder dummy) near3 (code method procedure) with implement$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:10
L32	0	(skeleton placeholder dummy) near3 (code method procedure) with future with implement$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:10
L29	4	(skeleton placeholder dummy) near3 (code method procedure) with future	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:10
L34	66	22 and 33	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/10/13 20:15
L35	523	(717/101-103).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/13 20:19
L36	49	(skeleton placeholder dummy) and 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:21

EAST Search History

L37	5	stub with future with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:27
L38	1107136	multi-valued attainability check$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:28
L39	1	multi-valued adj attainability adj check$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:31
L40	1	true with false same attainability	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:32
L41	33	true with false with check with both	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:48
L42	1	"incorrect variable definition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 20:52
L43	147	"symbolic model checking"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:06
L44	0	signed same enumeration same (unreachable dead dead-code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:10

EAST Search History

L47	1283	717/124-126.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:11
L46	10266	(type enumeration) with (warning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:11
L45	26282	(type enumeration) same (warning)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:11
L48	14	46 and 47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:13
L49	19	enumeration with warning	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:29
L50	24	unused with enumeration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:30
L52	700	(check$3 unused) with enumerat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:31
L51	645	check$3 with enumerat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:31

EAST Search History

L53	43	26 and 52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:35
L54	17	dead adj variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/13 21:45

Web Results **1** - **10** of about **940,000** for **program checking signed enumeration**. (**0.30** seconds)

[C patch] recent alignof regression
I attach both gcc and g++ testcases (c++ has extra types to **check**). ok? nathan ... **check** (**signed** long); **check** (unsigned long); **check** (**signed** long long); ...
gcc.gnu.org/ml/gcc-patches/2000-02/msg00415.html - 10k -
Cached - Similar pages - Note this

Non-bugs - Using the GNU Compiler Collection (GCC)
Some users try to use __STDC__ to **check** for the availability of certain library facilities. This is actually incorrect usage in an ISO C **program**, ...
gcc.gnu.org/onlinedocs/gcc/Non_002dbugs.html - 15k - Cached - Similar pages - Note this
[More results from gcc.gnu.org]

Hampshire Community Bike **Program** :: Development
We are developing an advanced computer **check**-out Community Bike **program**. ... account_status, **enum**, enabled, disabled, If the user user never returned a ...
bike.hampshire.edu/development/ - 32k - Cached - Similar pages - Note this

PC-lint/FlexeLint MISRA 1998 C **Checking**
Gimpel Software MISRA C **Checking**. ... omitted braces within an initializer. Rule 32, Req, +e960, should initialize either all **enum** members or only the first ...
www.gimpel.com/html/misra.htm - 38k - Cached - Similar pages - Note this

LCLint User's Guide - Section 3: Abstract Types
The +charint flag can be used for **checking** legacy **programs** where char and int are used ... LCLint checks each user-defined **enum** type as distinct type. ...
www.splint.org/guide/sec3.html - 18k - Cached - Similar pages - Note this

Title Index
... An **ENUM** Registry Type for the Internet Registry Information Service (IRIS) ... Application Techniques for **Checking** and Transformation of Names ...
dret.net/rfc-index/titles - Similar pages - Note this

Tru64 UNIX
An **enum** tag can have the same spelling as other identifiers in the same **program** in other name spaces. However, **enum** constant names share the same name space ...
h30097.www3.hp.com/dtk/Compaq_C_Compiler/doc/lrm/DOCU0010.HTM - 34k -
Cached - Similar pages - Note this

LCLint User's Guide - Section 3: Abstract Types
The char and **enum** types can be checked as distinct types, ... The +charint flag can be used for **checking** legacy **programs** where char and int are used ...
www.doc.ic.ac.uk/lab/cplus/lclint/sec3.html - 18k - Cached - Similar pages - Note this

CodeGuru: .NET Tip: Creating a Password-**Checking** Function
Use this function to **check** a password against a set of rules, ... as well as a flag **enumeration** to make it easier to specify which rules to enforce. ...
www.codeguru.com/csharp/csharp/cs_webservices/security/article.php/c12683/ - 69k -
Cached - Similar pages - Note this

Performing Exact Calculations With Floating-Point Numbers and ...

[redacted] | My Account | Sign out

Go to Google Home

Web Images Video[New!] News Maps more »

enumeration check unused Search Advanced Search Preferences

Web

Results 1 - 10 of about 750,000 for enumeration check unused . (0.10 seconds)

iAnywhere.com - ULStreamErrorCode enumeration

Unused. SECURE_CERTIFICATE_COMMON_NAME. The given common name is not in the certificate chain. **Check** the following:. 1) The common name was properly entered ...
www.ianywhere.com/developer/product_manuals/sqlanywhere/1000/en/html/uldnen10/dn-ulstreamerrorcode.html - 54k - Cached - Similar pages - Note this

Glenn Maynard - CIA

By default, don't return Invalid values from **Enum**::**Check**. It's the exception that Invalid has a meaning for an API call; most do not. ...
cia.navi.cx/stats/author/Glenn%20Maynard - 20k - Oct 12, 2006 -
Cached - Similar pages - Note this

Re: Enum for token '0', EOF

+ + * src/reader.c (packgram): Don't **check** rule 0. This suppresses **unused** + value warnings for the end token when the user gives the end token a + ...
www.mail-archive.com/help-bison@gnu.org/msg00982.html - 23k -
Cached - Similar pages - Note this

Todd Ditchendorf's Blog » Blog Archive » Not-So-Typesafe Enum ...

Just as the Typesafe **Enum** pattern was gaining wide acceptance in the Java ... The benefits are clearly not as great as in Java, where this **check** will be ...
www.ditchnet.org/wp/2005/03/21/typesafe-enum-pattern-in-javascript/ - 18k -
Cached - Similar pages - Note this

ConfigLong Enumeration

clViewBgnd, **Unused**. clShowLineNums, Whether to show line numbers in file comparison ... The high DWORD of the last time an update **check** was performed. ...
www.araxis.com/merge/topic_automationApiConfigLongEnum.html - 35k -
Cached - Similar pages - Note this

Stree design notes - GNU Project - Free Software Foundation (FSF)

Unused enums: like structures and types, **unused** enums are uninteresting because no uses could exist if the **enum** were **unused**. Like types and structs, ...
gcc.gnu.org/projects/strees/index.html - 19k - Cached - Similar pages - Note this

> ### Joseph S. Myers - Patch to remove unused langhooks
> Nameley **check** if the back-end created a new block - without calling pushlevel ... tree lhd_make_node (**enum** tree_cod #define LANG_HOOKS_DECL_OK_FOR_SIBCALL ...
> gcc.gnu.org/ml/fortran/2004-07/msg00110.html - 37k - Cached - Similar pages - Note this

Formatting Tag Library - PMD Results

Avoid **unused** imports such as 'java.util.**Enumeration**', 23. The class 'BundleTag' has a Cyclomatic ... No need to **check** for null before an instanceof, 172 ...
jakarta.apache.org/commons/jelly/libs/fmt/pmd-report.html - 30k -
Cached - Similar pages - Note this

ILE C/C++ Compiler Reference - CHECKOUT

Applies to C compilations Equivalent to specifying ***ENUM**, *EXTERN, *INIT, *PARM, *PORT, *GENERAL, ... Does not **check** for **unused** auto or static variables. ...
publib.boulder.ibm.com/infocenter/iadthelp/

Web Results 1 - 10 of about **3,370,000** for **model checker enumeration**. (**0.96** seconds)

PV: An explicit **enumeration model-checker**
PV(Protocol Verifier) is an explicit **enumeration** based **model-checker** for verifying finite state systems for next-time free LTL(LTL-X) properties. ...
cat.inist.fr/?a**Model**e=afficheN&cpsidt=1570463 - Similar pages - Note this

Isomorph-free **Model Enumeration**: A New Method for **Checking** ...
Software specifications often involve data structures with huge numbers of values, and consequently cannot be checked using standard state exploration or ...
citeseer.ist.psu.edu/103735.html - 31k - Cached - Similar pages - Note this

Citations: Algorithmic Techniques in Verification by Explicit ...
Algorithmic Techniques in Verification by Explicit State **Enumeration**. ... As far as we know, TLC is the first **model checker** that explicitly manages the disk ...
citeseer.ist.psu.edu/context/68248/44248 - 16k - Cached - Similar pages - Note this

[PDF] LNCS 1522 - PV: An Explicit **Enumeration Model-Checker**
File Format: PDF/Adobe Acrobat
PV: An Explicit **Enumeration Model-Checker**. Ratan Nalumasu and Ganesh Gopalakrishnan. Department of Computer Science. University of Utah, Salt Lake City, ...
www.springerlink.com/index/FH4ED9NTYQNPJM5M.pdf - Similar pages - Note this

Symbolic **Model** Interface
The **model checker** performs the backward evaluation of alternating free mu-calculus formulae over ... **Enum**-Expr Rel-Op **Enum**-Expr. |, Nat-Expr Rel-Op Nat-Expr ...
www-verimag.imag.fr/~async/SMI/ - 27k - Cached - Similar pages - Note this

Isomorph-free **model enumeration**
Isomorph-free **model enumeration**: a new method for **checking** relational ... 22 Daniel Jackson, Abstract **Model Checking** of Infinite Specifications, ...
portal.acm.org/citation.cfm?id=276396&coll=portal&dl=ACM - Similar pages - Note this

PV: An Explicit **Enumeration Model-Checker**
PV: An Explicit **Enumeration Model-Checker**. Ratan Nalumasu, Ganesh Gopalakrishnan. Journal Title: Formal Methods in Computer-Aided Design. Date: 1998 ...
wotan.liu.edu/docis/show?doc=dbl/fmcadf/1998__523_PAEEM.htm&query=formal+methods&pos=456 - 5k - Cached - Similar pages - Note this

[PPT] BDD vs. Constraint Based **Model Checking**: An Experimental ...
File Format: Microsoft Powerpoint 97 - View as HTML
A Specification Language for **Model Checking** Reactive Systems. Tevfik Bultan ... **enum** AC{On, Off};. int temp;. parameterized int low, high; ...
www.cs.ucsb.edu/~bultan/talks/icse00.ppt - Similar pages - Note this

[PDF] **Model Checking** Complete Requirements Specications Using Abstraction
File Format: PDF/Adobe Acrobat - View as HTML
symbolic" **model checkers**, such as SMV, has sparked considerable controversy. Explicit **model. checkers** compute the set of reachable states by **enumeration** ie ...
chacs.nrl.navy.mil/publications/CHACS/1997/1997bharadwaj-NRL7999.pdf - Similar pages - Note this

Terms used **model checking program code** Found **148,294** of **957,821**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The Digital Library

Results 1 - 20 of 200 Result page: **1** 2 3 4 5 6 7 8 9 10 next
Best 200 shown Relevance scale

1 Model checking Java programs using structural heuristics
Alex Groce, Willem Visser
July 2002 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 2002 ACM SIGSOFT international symposium on Software testing and analysis ISSTA '02**, Volume 27 Issue 4
Publisher: ACM Press
Full text available: pdf(229.55 KB) Additional Information: full citation, abstract, references, citings

We describe work in troducing heuristic search into the Java PathFinder model checker, which targets Java bytecode. Rather than focusing on heuristics aimed at a particular kind of error (such as deadlocks) we describe heuristics based on a modification of traditional branch coverage metrics and other *structure* measures, such as thread inter-dependency. We present experimental results showing the utility of these heuristics, and argue for the usefulness of *structural heuristics* as ...

Keywords: coverage metrics, heuristics, model checking, testing

2 Using predicate abstraction to reduce object-oriented programs for model checking
William Visser, SeungJoon Park, John Penix
August 2000 **Proceedings of the third workshop on Formal methods in software practice**
Publisher: ACM Press
Full text available: pdf(385.20 KB) Additional Information: full citation, abstract, references, citings, index terms

While it is becoming more common to see model checking applied to software requirements specifications, it is seldom applied to software implementations. The Automated Software Engineering group at NASA Ames is currently investigating the use of model checking for actual source code, with the eventual goal of allowing software developers to augment traditional testing with model checking. Because model checking suffers from the state-explosion problem, one of the main hurdles for program ...

Keywords: browsing

3 Testing: Model checking erlang programs: the functional approach
Lars-Åke Fredlund, Clara Benac Earle
September 2006 **Proceedings of the 2006 ACM SIGPLAN workshop on Erlang ERLANG**

Terms used **unused enumeration** Found **9,910** of **957,821**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The Digital Library

Results 21 - 40 of 200 Result page: previous 1 **2** 3 4 5 6 7 8 9 10 next
Best 200 shown Relevance scale

21 Answering queries using views: A survey
Alon Y. Halevy
December 2001 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 10 Issue 4
Publisher: Springer-Verlag New York, Inc.
Full text available: pdf(308.74 KB) Additional Information: full citation, abstract, citings, index terms

The problem of answering queries using views is to find efficient methods of answering a query using a set of previously defined materialized views over the database, rather than accessing the database relations. The problem has recently received significant attention because of its relevance to a wide variety of data management problems. In query optimization, finding a rewriting of a query using a set of materialized views can yield a more efficient query execution plan. To support the separat ...

Keywords: Data integration, Date warehousing, Materialized views, Query optimization, Survey, Web-site management

22 Combinatorial Optimization of Group Key Management
Mohamed Eltoweissy, M. Hossain Heydari, Linda Morales, I. Hal Sudborough
March 2004 **Journal of Network and Systems Management**, Volume 12 Issue 1
Publisher: Plenum Press
Full text available: Publisher Site Additional Information: full citation, abstract

Given the growing number of group applications in many existing and evolving domains recent attention has been focused on secure multicasting over the Internet. When such systems are required to manage large groups that undergo frequent fluctuations in group membership, the need for efficient encryption key management becomes critical. This paper presents a new key management framework based on a combinatorial formulation of the group multicast key management problem that is applicable to the ...

Keywords: Group communications, backward secrecy, key distribution, multicast, re-keying, secure communications, security

23 Work-in-progress session on innovative topics: First results with eBlocks: embedded systems building blocks
Susan Cotterell, Frank Vahid, Walid Najjar, Harry Hsieh